Factors that Slow Recovery

A fast recovery is not always possible or necessarily desirable when dealing with many issues, especially ones of pathogenic or parasitic origin. Typically these situations of concern developed over a long period of time and have also been already unsuccessfully treated conventionally over a long period of time. The problems are often no longer localized, but systemic by the time the end-user takes matters of health into his own hands.

There are many factors that can cause someone to see slow or even no progress with their recovery. Slow or retarded recovery is often a symptom of additional issues that may also need to be addressed. Often, these issues are one that may have been compounded as a result of earlier treatments and ones in which the user may simply be unaware.

UNREALISTIC EXPECTATIONS

As ridiculous as this might sound, there truly are those who believe in the "magic box" scenario, that is, the electronic black box is a magic cure-all for their problems. Admittedly, they may have come from an environment where that might have been suggested. There most definitely ARE unscrupulous dealers of devices that make all sorts of unfounded claims and suggestions preying on the sick and desperate. If the seller is focusing more on the myth and legend of Rife without making available pertinent strategies that would be applicable, this is a good indication you may want to look elsewhere. One needs to realistically look at the instrument as a

tool to assist in whatever strategy of attack is being prepared for your individual requirements. It should be realistically expected that the path to recovery and wellness will be a combination of many things that are changing, evolving and that may not even present themselves until further into sessions.

HEALTHY LIFESTYLE



Without maintaining an overall healthier lifestyle throughout the duration of treatment or investigation, someone's work with frequency instruments would, in essence, be pointless.

A person must remain dedicated to repairing their health in every way if they wish to fully recover from illness; meaning that they will have to avoid many old and unhealthy habits and adjust to new routines and lifestyle as well.

SOME OF THE FACTORS THAT CAN SLOW OR PREVENT RECOVERY

Poor health habits that include

- Inadequate exercise
- Smoking
- Drinking alcohol
- Eating processed snack foods and cakes
- Chronic exposure to dangerous chemicals, pesticides or poisons (through work or outdoor recreation)
- Taking prescriptions that may produce side effects which counter progress



Recontamination

These issues above pretty much need little explanation. The continued toxic (re)contamination of one or more of these abuses is very often the underlying cause or trigger of the very issue being addresses. Until the underlying cause is removed, it is very unlikely the resulting issue and symptoms can be completely addressed or reversed.

Poor Subject Compliance

Irregular treatment can also slow recovery. A person may not know the importance of carrying out regular sessions even after their symptoms have disappeared. Otherwise, they may suffer a relapse of illness or get incomplete results.



Both pathogenic and parasitic organisms often being targeted have offspring, often mutated slightly in frequency from their parents. Poor or irregular scheduling is important to do a complete and thorough job of targeted devitalization.

It is important to schedule and dedicate time within each day to apply a full session or sessions as part of your daily routine. For almost every issue this should NOT be done late at night or during sleep.

Although using a contact instruments such as the PFG2z requires the user to be tethered to the

equipment, plasma equipment as the P3 series does not. Most users find the computer or TV time sufficient for most needs. However, serious issues may require extended application times. In those cases a radiant application method may be more appropriate.

The proper selection of instrument for your unique needs and lifestyle often make the difference on how convenient and regularly it is used, thus also understandably equating to how effective and timely a recovery occurs.

Detox

Neglecting to detoxify the body and replenish lost vitamins and nutrients would also hinder a user's progress as well. If a person does this and also suffers a relapse, they may then often blame the treatment methods instead of their own poor compliance with the regimen.

Organ dysfunction caused by previous injury or other therapy

- Someone may have no control over previous damage caused by trauma, disease, or surgery, which may leave a fragile patient with less vital organ capacity than what they need to recover (or even survive).
- Chemotherapy may eliminate tumors quickly at first.
 However, it leaves metabolic pathways blocked and kills good cells in good organs and other areas of the body; creating secondary tumors as well.
- Chemotherapy often may leave someone susceptible to death from heart damage (some believe virtually guaranteed with Adriamycin), pneumonia and kidney infection (due to immune system damage), and uncontrolled secondary recurring tumors (which may become practically immune to chemotherapy once it has blocked metabolic pathways).



Malnutrition and impaired cell chemistry

- Nutritionally compromised or inferior tissues can be colonized by silent, low-level infections of viruses, fungi, parasites, and bacteria.
- Although raw fruits and vegetables can help to strengthen your immune system, they are still unable to kill a microbe. Therefore, if the primary cause is nutritional deficiency and its resulting symptoms, then only a good diet will help them to full recovery.
- Metabolic defects caused by exposure to toxins or other issues such as inherited disease may also produce unsatisfactory results. It may help to routinely use detoxification frequencies as well.

Note: it is possible to be overweight and malnourished. A healthy, vitamin rich diet is important to a prolonged recovery.



Miscellaneous factors:

- Age
- Congenital disease
- Prior frail health
- Machine operation incompetence
- Unsupportive relatives (frequently hostile to alternatives)
- Make sure that any other forms of therapy used do not conflict with each other or the bio-active frequency therapy.